



BROWNING BEARING COMPANY

TYPE TS



timken 37425 bearing

Bearing No. 37425

37425 Bearing 2D drawings and 3D CAD models

| | |
|---|---------------|
| Series | 37000 |
| Cone Part Number | 37425 |
| Design Units | Imperial |
| Cage Type | Stamped Steel |
| C1 - Dynamic Radial Rating (Two-Row, 1 million revolutions) ¹ | 53400 lbf |
| C90(2) - Dynamic Radial Rating (Two-Row, 90 million revolutions) ² | 13900 lbf |
| d | 4.25 in |
| B - Cone Width | 0.8440 in |
| R - Cone Backface To Clear Radius ³ | 0.14 in |
| da - Cone Frontface Backing Diameter | 4.53 in |
| db - Cone Backface Backing Diameter | 4.8 in |
| Ab - Cage-Cone Frontface Clearance | 0.15 in |
| Aa - Cage-Cone Backface Clearance | 0.08 in |
| a - Effective Center Location ⁴ | 0.54 in |
| C90 - Dynamic Radial Rating (90 million revolutions) ⁵ | 7960 lbf |
| C1 - Dynamic Radial Rating (1 million revolutions) ⁶ | 30700 lbf |
| C0 - Static Radial Rating | 40100 lbf |
| | |



BROWNING BEARING COMPANY

| | |
|---|----------|
| C_{a90} - Dynamic Thrust Rating (90 million revolutions) ⁷ | 8250 lbf |
| K - Factor ⁸ | 0.96 |
| G1 - Heat Generation Factor (Roller-Raceway) | 123.7 |
| G2 - Heat Generation Factor (Rib-Roller End) | 57.1 |
| Cg - Geometry Factor | 0.144 |