



BROWNING BEARING COMPANY

skf snl 526 bearing

Bearing No. snl 526

Category	Mounted Units & Inserts
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	34.591
EAN	7316570613544
Product Group	M06288
inside diameter:	130 mm, 115 mm, 4.5000 in, 4.4375 in
housing material:	Cast Iron
base to bore centerline:	5.9375 in
compatible bearing type:	Spherical Roller
overall length:	17.5625 in
finish/coating:	Uncoated
overall height:	11.4375 in
compatible bearing series/part number:	22226 EK, 22226 E, 1226, 23226CC/W33, 23226CCK/W33, C2226, C2226 K 22226 EK 22226 E 1226 23226CC/W33 23226CCK/W33 C2226 C2226 K
overall width:	7.5000 in
bolt center-to-center length:	15 in
mounting:	Two-Bolt Base
base width:	5-1/8 in
housing construction:	Split Pillow Block
series:	SNL
compatible bore diameter:	130 mm, 115 mm, 4.5000 in, 4.4375 in



BROWNING BEARING COMPANY

standards met:	ISO/DIS 185 Grade 200
Bearing (basic designation)	22226 K
Locating ring	2 x FRB 13/230
d_a	115 mm
C_a	90 mm
D_a	230 mm
D_b	167.5 mm
A	190 mm
A_1	130 mm
H	290 mm
H_1	150 mm
H_2	50 mm
J	380 mm
L	445 mm
N	35 mm
N_1	28 mm
J_6	414 mm
J_7	46 mm
N_4 max.	12 mm
A_{2L}	208 mm
A_{2T}	265 mm
d_2	212 mm
P_{0°	900 kN
P_{55°	900 kN
P_{90°	540 kN
P_{120°	410 kN
P_{150°	360 kN
P_{180°	450 kN
P_a	295 kN
Q_{120°	900 kN
Q_{150°	520 kN
Q_{180°	450 kN



BROWNING BEARING COMPANY

Mass housing	33 kg
Cap bolt, size	M 24x130
Cap bolt, rec. tightening torque	350 N · m
Appropriate attachment bolt, size G	24 mm
Appropriate attachment bolt, rec. tightening torque	665 N · m
Initial grease fill, 20%	700 g
Initial grease fill, 40%	1100 g
d_b	145 mm