




BROWNING BEARING COMPANY



140 mm x 300 mm x 62 mm skf 6328 bearing

Bearing No. 6328

6328 Bearing 2D drawings and 3D CAD models

Size	300x140x62 mm
Bore Diameter	300 mm
Outer Diameter	140 mm
Width	62 mm
d	140 mm
D	300 mm
B	62 mm
d ₁	190.6 mm
D ₁	248.7 mm
r _{1,2} - min.	4 mm
d _a - min.	157 mm
D _a - max.	283 mm
r _a - max.	3 mm
Basic dynamic load rating - C	251 kN
Basic static load rating - C ₀	245 kN
Fatigue load limit - P _u	7.1 kN
Reference speed	4800 r/min
Limiting speed	3000 r/min
Calculation factor - k _r	0.03
Calculation factor - f ₀	13.6
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0



BROWNING BEARING COMPANY

Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	140MM Bore; 300MM Outside Diameter; 62MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Weight / LBS	18.5
Outer Race Width	2.441 Inch 62 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	5.512 Inch 140 Millimeter
Outside Diameter	11.811 Inch 300 Millimeter
d ₁	190.6 mm
D ₁	248.7 mm
r _{1,2} min.	4 mm



BROWNING BEARING COMPANY

d_a min.	157 mm
D_a max.	283 mm
r_a max.	3 mm
Basic dynamic load rating C	251 kN
Basic static load rating C_0	245 kN
Fatigue load limit P_u	7.1 kN
Calculation factor k_r	0.03
Calculation factor f_0	13.6
Mass bearing	18.6 kg